3 (Sem-6/CBCS) CHE HC 2

abiaa 2024 a ai il

CHEMISTRY

(Honours Core)

Paper: CHE-HC-6026

banio (Organic Chemistry-V)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions: $1 \times 7 = 7$
 - (a) Give an example of triphenylmethane dye.
 - (b) Write the name of the five-membered cyclic hemeacetal form of D-ribose.
 - (c) Draw the structure of the product obtained from sodium borohydride reduction of D-glucose.
 - (d) In which region NMR spectra are observed?

- (e) Which of the following statements is false about glucose?
 - (i) It is a reducing sugar.
 - (ii) It is a disaccharide.
 - (iii) It has a pyranose structure.
 - (iv) It is a polyalcohol.
- Two monosaccharides are joined through a ____ bond to form a disaccharide.
- (g) Mention the configuration of natural rubber.
- 2. Give answer of the following: 2×4=8
 - (a) Draw the Fisher projection diagram of the tetroses.
 - (b) Name the monomer units of Buna-S-rubber.
 - (c) (i) Between nitrobenzene and nitrophenol which one is more intensely coloured?
 - (ii) What are the commonly encountered transitions in UV spectroscopy?


of (d) Fill up the blanks:

Starch contains about 20% of a water-soluble fraction called _____ and 80% of water-insoluble fraction called _____.

3. Answer any three of the following:

21=Exc (i) Fill up the blank:

(a) (i) Find out A and B in the following reaction:



- (ii) Write the synthesis of methyl orange.
- Statements: 1×5=5
 - (i) Fructose exists as both pyranose and furanose structures.
 - (ii) The simplest carbohydrate is glyceraldehyde.

- Galactose is not a disaccharide.
- (iv) Hydrolysis of starch with dil. H2SO4 at 393K under pressure gives of water-insoluble.selled
 - (v) Glucose is also known as dextrose.
- (c) (i) Fill up the blank: No two compounds except the can have similar IR-spectra.
 - (ii) What do you mean by the term IOH (Hos chemical shift'? Name the various factors on which the value of chemical shift depends.
- (d) How can you distinguish between 3-methylcyclohexene and 4-methylcyclohexene on the basis of mass Ivdiem spectroscopy? adjusting (ii)
- (e) Write short notes on: (any two) 2=2×2/2 Write true or false for the following
 - Zeigler-Natta polymerisation
 - Amylose
 - (iii) Volcanization of rubber
 - (iv) Degree of polymerisation

- Answer any three of the following: 10×3=30
 - Define absorbance. (a)
 - llowing (ii) How will you differentiate between vino privod the following pairs of compounds? $3 \times 3 = 9$

 $2 \times 2 = 4$

Sygosomosas SMM ni (by lusing IR spectra)

(II)
$$CH_3CH_2CHO$$
 and $CH_2 = CH - CH_2OH$
(by using IR spectra)

(III)
$$CH_3 - CH_2 - CH_2 - CH_3$$
 and

$$CH_3$$
 anique CH_3 CH_3 CH_3 (by using NMR spectra) . CH_3

spectroscopy ?

- (b) (i) Predict the structural formula for the compounds with the following molecular formulas showing only one PMR signal each: 2×2=4
 - (I) C_8H_{18}
 - (II) C_2H_6O
- (ii) Why is TMS used as a reference standard in NMR spectroscopy?

(iii) Define:

1½×2=3

(I) Spin-spin splitting

(II) CH_2CH_3CHO and $CH_2=CH-CH_2OH$

- (II) Coupling constant
- (c) (i) Why is methanol a good solvent for UV spectroscopy but not for IR spectroscopy?

(ii) By using the Woodward-Fieser rules, calculate the absorption maximum for the following compounds: 2×2=4

$$CH-CH=CH_{2}$$
(I)
$$HO-$$

$$CH_{3}$$


- (iii) Explain (by showing the reactions involved) why D-glucose, D-mannose and D-fructose form the same osagene.
- (d) (i) Classify each of the following monosaccharids according to both the no. of carbon atoms and the type of carbonyl group present:


 1×4=4

(ii) What are HO₂H₂CH₂O₁P Give the mechanism Offenies with suitable example OH 1+5=6

HO — HO — HO — HO₂H₂OH

78





(ii) What are epimers? Give the mechanism of epimerisation with suitable example. 1+5=6

3 (Sem - 6/CBCS) CHE HC 2/G 78

- (e) (i) Give the Haworth projection diagram of: (any two) 1½×2=3
 - (I) Lactose
 - (II) Sucrose

(I) Chain-growth polymerisation

- (III) α-D-glucopyranose
- (ii) Find A and B in the following reactions: 2+2=4

$$CHO$$
 (I)
 $(CHOH)_4$
 (I)
 CH_2OH
 (I)
 $(I$

$$(II) \begin{array}{|c|c|c|} \hline CHO & & & \\ \hline -OH & & & \\ \hline -OH & & & \\ \hline & CH_2OH & & \\ \hline \end{array} \rightarrow A+B$$

- no (iii) Draw the most stable conformer of—
 - (I) α -D-glucose, and
 - (II) β -D-mannose.

es (inspolar solvent) (III) 1½×2=3

- (any two) Explain with suitable example:
 - (I) Chain-growth polymerisation
 - (II) Fluorescein dye
 - OH (III) Mc Lafferty rearrangement

(I) (CHOH)4

3 (Sem-6/CBCS) CHE HC 2/G

(ii) Choose the correct option to fill the statement:

"Starch is____."

- (I) a trisaccharide
- (II) also called amylose
- (III) also called amylopectin
- (IV) mixture of amylose and amylopectin

- (iii) Give one example of each of the following: 1×2=2
 - (I) Carbohydrate that acts as a biofuel.
 - (II) Write two uses of congo red.
- (iv) Illustrate the process of Killiani-Fisher synthesis of an aldotetrose from an aldotriose.

11